

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – PR&RD – Allegations of irregularities in procuring HP spares and GI pipes to the RWS&S Sub-Divisions at Ongole and Kandukuru in Prakasam District – Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District – Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.IA) DEPARTMENT

G.O.Rt.No. 2104 .

Dated: 27.11.2012

ORDER:

It is proposed to hold an enquiry against Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II and III).

3. Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny article of charge.

5. Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this order shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

VIKAS RAJ
SECRETARY TO GOVERNMENT(RWS&S)

To
Sri N. Sambasiva Rao, Executive Engineer, RWS&S Sub-Division, Ongole, Prakasam District through the Engineer-in-Chief, RWS&S, Hyderabad.

(PTO)

::2::

The Engineer-in-Chief, RWS &S, Hyderabad.

(in duplicate with a request to serve and return the dated acknowledgement copy)

Copy to:

The PR&RD (Estt.I) Department.

SF/SC

// FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No 2104, PR&RD (Vig.IA) Dept., dt.27.11.2012)

**STATEMENT OF ARTICLE OF CHARGES AGAINST SRI N. SAMBASIVA RAO,
EXECUTIVE ENGINEER, RWS&S SUB-DIVISION, ONGOLE, PRAKASAM DISTRICT.**

CHARGE:

That Sri N. Sambasiva Rao, Executive Engineer working in RWS&S Sub-Division, Ongole, Prakasam District has failed to follow the procurement conditions stipulated in purchase orders by the Superintending Engineer, RWS&S concerned. He has also failed to follow the instructions of higher authorities. Thus, he has discharged duties with gross negligence.

Basis:

As per enquiry report of Chief Engineer, Vig.&QC, Hyderabad Lr. AEE1/DEEIII/RWS&S/Vig.&QC/HPSpares/Ongole, dt.11.07.2012, Sri N. Sambasiva Rao, Executive Engineer, has derelicted his legitimate duties and he failed to conduct pre-delivery quality control inspection of HP Spares and also procured of 32 mm dia GI pipes without Third Party Quality Control. He has failed to follow the procurement conditions stipulated in purchase orders by the Superintending Engineer, RWS&S concerned. Thus, he failed to follow the instructions of Superintending Engineer, RWS&S, Ongole. From this, it is evident that he has shown gross negligence towards his legitimate duties and failed in supervision which is in violation of Rule (3) of A.P.C.S (CC&A) Rules, 1964.

Hence, the charge.

VIKAS RAJ
SECRETARY TO GOVERNEMENT(RWS&S)

// FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-II

(Annexure to G.O.Rt.No. 2104 , PR&RD (Vig.IA) Dept., dt.27.11.2012)

**LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE ARE PROPOSED
TO BE SUSTAINED AGAINST SRI N. SAMBASIVA RAO, EXECUTIVE
ENGINEER, RWS&S SUB-DIVISION, ONGOLE, PRAKASAM DISTRICT.**

Chief Engineer, Vig.&QC, Hyderabad Lr. AEE1/DEEIII /RWS&S/Vig.&QC /HP
Spares/ Ongole, dt. 11.07.2012.

VIKAS RAJ
SECRETARY TO GOVERNMENT(RWS&S)

// FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE-III

(Annexure to G.O.Rt.No 2104 , PR&RD (Vig.IA) Dept., dt.27.11.2012)

**LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGE ARE PROPOSED
TO BE SUSTAINED AGAISNT SRI N. SAMBASIVA RAO, EXECUTIVE
ENGINEER, RWS&S SUB-DIVISION, ONGOLE, PRAKASAM DISTRICT.**

- NIL -

VIKAS RAJ
SECRETARY TO GOVERNMENT(RWS&S)

// FORWARDED BY ORDER//

SECTION OFFICER